




## TEST REPORT

Report No:	EHSM/2024/Mar/R-102	Issue Date	18/03/2024
Name and Address of Customer	M/s. Babanraoji Shinde Sugar & Allied Industries Ltd., At Turkpimpri, Post-Malwandi, Tal. Barshi, Dist. Solapur -413401		
Sample Name	Air	Sample Description	Ambient Air
Date of Sampling	11/03/2024	Sampling duration	1440 Min
Sampling Location	Near Material Store Office	Sampling Procedure	CPCB Guideline for measurement of Ambient Air pollutants Volume I
Dry bulb temperature	32°C	Wet bulb temperature	29°C
Relative Humidity	80 %	Sampling done by	EHS Matrix Pvt. Ltd, Pune
Start Date of Analysis	13/03/2024	End Date of Analysis	18/03/2024

### Results

Sr. No.	Parameters	Results	Unit(s)	Specifications (NAAQ Standards)	Methods
1	Sulphur Dioxide(SO <sub>2</sub> )	18.2	µg/m <sup>3</sup>	≤ 80	IS 5182 (Part 2)
2	Oxides of Nitrogen(NO <sub>2</sub> )	23.1	µg/m <sup>3</sup>	≤ 80	IS 5182 (Part 6)
3	Particulate Matter PM <sub>10</sub>	67.5	µg/m <sup>3</sup>	≤ 100	CPCB Guideline for measurement of Ambient Air pollutants Volume I
4	Particulate Matter PM <sub>2.5</sub>	32.4	µg/m <sup>3</sup>	≤ 60	
5	Carbon Monoxide (CO)	0.8	mg/m <sup>3</sup>	≤ 04	
6	Ozone(O <sub>3</sub> )	19.0	µg/m <sup>3</sup>	≤ 180	
7	Lead (Pb)	BDL	µg/m <sup>3</sup>	≤ 01	
8	Arsenic(As)	BDL	ng/m <sup>3</sup>	≤ 06	
9	Nickel(Ni)	BDL	ng/m <sup>3</sup>	≤ 20	
10	Ammonia(NH <sub>3</sub> )	BDL	µg/m <sup>3</sup>	≤ 400	
11	Benzo(a)Pyrene(BaP)	BDL	ng/m <sup>3</sup>	≤ 1.0	
12	Benzene(C <sub>6</sub> H <sub>6</sub> )	BDL	µg/m <sup>3</sup>	≤ 05	

**Remark-** All above results is within National Ambient Air Quality standards.  
BDL – Below Detectable Limit.



*R.P.*  
Authorized Signatory  
Mr. Rahul Patil  
(Director)

Page 01 of 01

Laboratory Recognized by Ministry of Environment, Forest (MoEF) & Climate Change (CC) Govt. of India.

Register Office Address :  
C-7, Omkar Kudale Patil Estate, Manik  
Baugh, Sinhgad Road, Pune - 411051.  
+91 20 2435 6133  
+91 90961 85285 / +91 91585 60571

Branch Office Address :  
1151, E-ward, Saroj Sankul, Flat No. B-204,  
Near Swayamsiddha Trust Building,  
Sykes Extension, Kolhapur - 415116  
+91 98343 07334 / +91 90961 85285

CERTIFICATIONS  
ISO 9001 : 2015  
ISO 14001 : 2015  
ISO 45001 : 2018



### TEST REPORT

<b>Report No:</b>	EHSM/2024/Mar/R-103	<b>Issue Date</b>	18/03/2024
<b>Name and Address of Customer</b>	M/s. Babanraoji Shinde Sugar & Allied Industries Ltd., At Turkpimpri, Post Malwandi, Tal. Barshi, Dist. Solapur -413401		
<b>Sample Name</b>	Air	<b>Sample Description</b>	Ambient Air
<b>Date of Sampling</b>	11/03/2024	<b>Sampling duration</b>	1440 Min
<b>Sampling Location</b>	Near Main Gate	<b>Sampling Procedure</b>	CPCB Guideline for measurement of Ambient Air pollutants Volume I
<b>Dry bulb temperature</b>	32°C	<b>Wet bulb temperature</b>	29°C
<b>Relative Humidity</b>	80 %	<b>Sampling done by</b>	EHS Matrix Pvt. Ltd, Pune
<b>Start Date of Analysis</b>	13/03/2024	<b>End Date of Analysis</b>	18/03/2024

### Results

Sr. No.	Parameters	Results	Unit(s)	Specifications (NAAQ Standards)	Methods
1	Sulphur Dioxide(SO <sub>2</sub> )	21.5	µg/m <sup>3</sup>	≤ 80	IS 5182 (Part 2)
2	Oxides of Nitrogen(NO <sub>2</sub> )	23.9	µg/m <sup>3</sup>	≤ 80	IS 5182 (Part 6)
3	Particulate Matter PM <sub>10</sub>	76.5	µg/m <sup>3</sup>	≤ 100	CPCB Guideline for measurement of Ambient Air pollutants Volume I
4	Particulate Matter PM <sub>2.5</sub>	36.0	µg/m <sup>3</sup>	≤ 60	
5	Carbon Monoxide (CO)	0.8	mg/m <sup>3</sup>	≤ 04	
6	Ozone(O <sub>3</sub> )	19.0	µg/m <sup>3</sup>	≤ 180	
7	Lead (Pb)	BDL	µg/m <sup>3</sup>	≤ 01	
8	Arsenic(As)	BDL	ng/m <sup>3</sup>	≤ 06	
9	Nickel(Ni)	BDL	ng/m <sup>3</sup>	≤ 20	
10	Ammonia(NH <sub>3</sub> )	BDL	µg/m <sup>3</sup>	≤ 400	
11	Benzo(a)Pyrene(BaP)	BDL	ng/m <sup>3</sup>	≤ 1.0	
12	Benzene(C <sub>6</sub> H <sub>6</sub> )	BDL	µg/m <sup>3</sup>	≤ 05	

**Remark-** All above results is within National Ambient Air Quality standards.  
BDL – Below Detectable Limit.



*R.P.*  
Authorized Signatory  
Mr. Rahul Patil  
(Director)

Laboratory Recognized by Ministry of Environment, Forest (MoEF) & Climate Change (CC) Govt. of India.

**Register Office Address :**  
C-7, Omkar Kudale Patil Estate, Manik  
Baugh, Sinhgad Road, Pune - 411051.  
+91 20 2435 6133  
+91 90961 85285 / +91 91585 60571

**Branch Office Address :**  
1151, E-ward, Saroj Sankul, Flat No. B-204,  
Near Swayamsiddha Trust Building,  
Sykes Extension, Kolhapur - 415116  
+91 98343 07334 / +91 90961 85285

**CERTIFICATIONS**  
ISO 9001 : 2015  
ISO 14001 : 2015  
ISO 45001 : 2018



# EHS MATRIX

PRIVATE LIMITED

Sr. No.30/7, Office No. 202, 203, Chintamani Industrial Estate,  
Near Dran Company, Dhayari, Pune - 411041, Maharashtra, India.  
+91 91585 60571 / +91 95796 84751 / +91 90961 85285  
www.ehsmatrix.co.in ehsmatrixpune@gmail.com


## TEST REPORT

Report No:	EHSM/2024/Mar/R-104	Issue Date	18/03/2024
Name and Address of Customer	M/s. Babanraoji Shinde Sugar & Allied Industries Ltd., At Turkpimpri, Post Malwandi, Tal. Barshi, Dist. Solapur -413401		
Sample Name	Air	Sample Description	Ambient Air
Date of Sampling	11/03/2024	Sampling duration	1440 Min
Sampling Location	Near Diffuser	Sampling Procedure	CPCB Guideline for measurement of Ambient Air pollutants Volume I
Dry bulb temperature	32°C	Wet bulb temperature	29°C
Relative Humidity	80 %	Sampling done by	EHS Matrix Pvt. Ltd, Pune
Start Date of Analysis	13/03/2024	End Date of Analysis	18/03/2024

### Results

Sr. No.	Parameters	Results	Unit(s)	Specifications (NAAQ Standards)	Methods
1	Sulphur Dioxide(SO <sub>2</sub> )	17.2	µg/m <sup>3</sup>	≤ 80	IS 5182 (Part 2)
2	Oxides of Nitrogen(NO <sub>2</sub> )	22.5	µg/m <sup>3</sup>	≤ 80	IS 5182 (Part 6)
3	Particulate Matter PM <sub>10</sub>	70.2	µg/m <sup>3</sup>	≤ 100	CPCB Guideline for measurement of Ambient Air pollutants Volume I
4	Particulate Matter PM <sub>2.5</sub>	32.1	µg/m <sup>3</sup>	≤ 60	
5	Carbon Monoxide (CO)	0.78	mg/m <sup>3</sup>	≤ 04	
6	Ozone(O <sub>3</sub> )	19.0	µg/m <sup>3</sup>	≤ 180	
7	Lead (Pb)	BDL	µg/m <sup>3</sup>	≤ 01	
8	Arsenic(As)	BDL	ng/m <sup>3</sup>	≤ 06	
9	Nickel(Ni)	BDL	ng/m <sup>3</sup>	≤ 20	
10	Ammonia(NH <sub>3</sub> )	BDL	µg/m <sup>3</sup>	≤ 400	
11	Benzo(a)Pyrene(BaP)	BDL	ng/m <sup>3</sup>	≤ 1.0	
12	Benzene(C <sub>6</sub> H <sub>6</sub> )	BDL	µg/m <sup>3</sup>	≤ 05	

Remark- All above results is within National Ambient Air Quality standards.  
BDL – Below Detectable Limit.



*Rpd*  
Authorized Signatory  
Mr. Rahul Patil  
(Director)

Page 01 of 01

Laboratory Recognized by Ministry of Environment, Forest (MoEF) & Climate Change (CC) Govt. of India.

Register Office Address :  
C-7, Omkar Kudale Patil Estate, Manik  
Baugh, Sinhgad Road, Pune - 411051.  
+91 20 2435 6133  
+91 90961 85285 / +91 91585 60571

Branch Office Address :  
1151, E-ward, Saroj Sankul, Flat No. B-204,  
Near Swayamsiddha Trust Building,  
Sykes Extension, Kolhapur - 415116  
+91 98343 07334 / +91 90961 85285

CERTIFICATIONS  
ISO 9001 : 2015  
ISO 14001 : 2015  
ISO 45001 : 2018




## TEST REPORT

Report No:	EHSM/2024/Mar/R-105	Issue Date	18/03/2024
Name and Address of Customer	M/s. Babanraoji Shinde Sugar & Allied Industries Ltd., At Turkpimpri, Post Malwandi, Tal. Barshi, Dist. Solapur -413401		
Sample Name	Workzone	Sample Description	Workzone Air
Date of Sampling	11/03/2024	Sampling duration	60 Min
Sampling Location	Sugar Filling Station	Sampling Procedure	CPCB Guideline for measurement of Ambient Air pollutants Volume I
Dry bulb temperature	30°C	Wet bulb temperature	26°C
Relative Humidity	66%	Sampling done by	EHS Matrix Pvt. Ltd., Pune
Start Date of Analysis	13/03/2024	End Date of Analysis	18/03/2024

### Results

Sr. No.	Parameters	Results	Unit(s)	Specifications (The Factories Act 1948, standards)	Methods
1	Sulphur Dioxide(SO <sub>2</sub> )	13.0	µg/m <sup>3</sup>	≤ 5000	IS 5182 (Part 2)
2	Oxides of Nitrogen(NO <sub>2</sub> )	14.0	µg/m <sup>3</sup>	≤ 6000	IS 5182 (Part 6)
3	Respirable Particular Matter	23.0	µg/m <sup>3</sup>	N.S.	CPCB Guideline for measurement of Ambient Air pollutants Volume I

➤ Remark- All above results are well within The Factories Act, 1948 Standards.  
N.S.: - Not Specified



*Rpd*  
Authorized Signatory  
Mr. Rahul Patil  
(Director)



# EHS MATRIX

## PRIVATE LIMITED

Sr. No.30/7, Office No. 202, 203, Chintamani Industrial Estate,  
Near Dran Company, Dhayari, Pune - 411041, Maharashtra, India.  
+91 91585 60571 / +91 95796 84751 / +91 90961 85285  
www.ehsmatrix.co.in ehsmatrixpune@gmail.com


### TEST REPORT

Report No:	EHSM/2024/Mar/R-106	Issue Date	18/03/2024
Name and Address of Customer	M/s. Babanraoji Shinde Sugar & Allied Industries Ltd., At Turkpimpri, Post Malwandi, Tal. Barshi, Dist. Solapur -413401		
Sample Name	Source Emission	Sample Description	Stack Material : RCC
Date of Sampling	11/03/2024		Stack Height : 65.0
Sampling Location	Boiler Stack		Stack Type : Round
Sampling done by	EHS Matrix Pvt. Ltd., Pune	Sampling duration	30 Min
Sample Quantity	Thimble 1 Nos and 30 ml Solution	Sampling Procedure	CPCB Guideline on methodologies for source emission monitoring
Start Date of Analysis	13/03/2024	End Date of Analysis	18/03/2024

### Results

Sr. No.	Parameters	Results	Unit(s)	Specifications (MPCB Consent)	Methods
1	Flue Gas Temperature	409	K		---
2	Differential Pressure	5.2	mm WG		
3	Velocity	7.8	M/s		
4	Dimensions of Stack	5.3	Mtr.		
5	Stack Area	22.05	M <sup>2</sup>		
6	Gas Volume	503186.0	Nm <sup>3</sup> /Hr		
7	Particulate Matter	68.0 ✓	mg/Nm <sup>3</sup>	≤ 150	CPCB Guideline on methodologies for source emission monitoring
8	SulphurDioxide(SO <sub>2</sub> )	59.0 ✓	mg/Nm <sup>3</sup>	--	
9	SulphurDioxide(SO <sub>2</sub> )	82.0 ✓	Kg/day	5568.0	

➤ Remark - All above results are well within MPCB Limit.



  
Authorized Signatory  
Mr. Rahul Patil  
(Director)

Page 01 of 01

Laboratory Recognized by Ministry of Environment, Forest (MoEF) & Climate Change (CC) Govt. of India.

Register Office Address :  
C-7, Omkar Kudale Patil Estate, Manik  
Baugh, Sinhgad Road, Pune - 411051.  
+91 20 2435 6133  
+91 90961 85285 / +91 91585 60571

Branch Office Address :  
1151, E-ward, Saroj Sankul, Flat No. B-204,  
Near Swayamsiddha Trust Building,  
Sykes Extension, Kolhapur - 415116  
+91 98343 07334 / +91 90961 85285

CERTIFICATIONS  
ISO 9001 : 2015  
ISO 14001 : 2015  
ISO 45001 : 2018




# EHS MATRIX


## PRIVATE LIMITED

📍 Sr. No.30/7, Office No. 202, 203, Chintamani Industrial Estate,  
Near Dran Company, Dhayari, Pune - 411041, Maharashtra, India.  
☎ +91 91585 60571 / +91 95796 84751 / +91 90961 85285  
🌐 www.ehsmatrix.co.in ✉ ehsmatrixpune@gmail.com

### TEST REPORT

Report No:	EHSM/2024/Mar/R-107	Issue Date	18/03/2024		
Name and Address of Customer	M/s. Babanraoji Shinde Sugar & Allied Industries Ltd., At Turkpimpri, Post Malwandi, Tal. Barshi, Dist. Solapur -413401				
Sample Name	Noise	Sample Description	Ambient Noise		
Date of Sampling	11/03/2024	Sampling duration	Spot Time		
Sampling done by	EHS Matrix Pvt. Ltd., Pune				
<b>Results</b>					
Sr. No.	Locations	Result dB(A) Day	Result dB(A) Night	Specifications (CPCB Standards dB(A))	Method
1.	Near Main Gate	58.2	56.0	75/70	CPCB Guideline
2.	Near Material Store	66.0	55.1		
3.	Near Diffuser	64.0	52.2		
4.	Near Boiler	73.0	68.0		
5.	Near ETP	69.0	64.0		
➤ <b>Remark</b> -All above Noise level results are within Central Pollution Control Board Standards limit. ➤ Day/Night -75/70 dB.					



  
Authorized Signatory  
Mr. Rahul Patil  
(Director)

Page 01 of 01

Laboratory Recognized by Ministry of Environment, Forest (MoEF) & Climate Change (CC) Govt. of India.

📍 Register Office Address :  
C-7, Omkar Kudale Patil Estate, Manik  
Baugh, Sinhgad Road, Pune - 411051.  
☎ +91 20 2435 6133  
☎ +91 90961 85285 / +91 91585 60571

📍 Branch Office Address :  
1151, E-ward, Saroj Sankul, Flat No. B-204,  
Near Swayamsiddha Trust Building,  
Sykes Extension, Kolhapur - 415116  
☎ +91 98343 07334 / +91 90961 85285

**CERTIFICATIONS**  
ISO 9001 : 2015  
ISO 14001 : 2015  
ISO 45001 : 2018



# EHS MATRIX

## PRIVATE LIMITED

Sr. No.30/7, Office No. 202, 203, Chintamani Industrial Estate,  
Near Dran Company, Dhayari, Pune - 411041, Maharashtra, India.  
+91 91585 60571 / +91 95796 84751 / +91 90961 85285  
www.ehsmatrix.co.in ehsmatrixpune@gmail.com


### TEST REPORT


Report No:	EHSM/2024/Mar/R-108	Issue Date	18/03/2024
Name and Address of Customer	M/s. Babanraoji Shinde Sugar & Allied Industries Ltd., At Turkpimpri, Post Malwandi, Tal. Barshi, Dist. Solapur -413401		
Sample Name	Waste water	Sample Description	ETP Inlet
Date of Sampling	11/03/2024	Sampling Time	11:30 AM
Sampling Location	ETP Plant	Sampling Procedure	APHA 1060
Sampling done by	EHS Matrix Pvt. Ltd., Pune	Sample Quantity	02L
Start Date of Analysis	13/03/2024	End Date of Analysis	18/03/2024

### Results

Sr. No.	Parameters	Results	Unit(s)	Methods
1	pH at 25°C	4.12	--	APHA 4500 H <sup>+</sup> B, 23 <sup>rd</sup> Ed.2017
2	Total Suspended Solids	158.0	mg/L	APHA 2540 D, 23 <sup>rd</sup> Ed.2017
3	Biochemical Oxygen Demand at 27°C for 3 days	1205.0	mg/L	IS 3025 (Part 44):2019
4	Chemical Oxygen Demand	3621.0	mg/L	IS 3025 (Part 58):2017
5	Oil & Grease	7.5	mg/L	APHA 5520 B, 23 <sup>rd</sup> Ed.2017
6	Total Dissolved Solids	1841.0	mg/L	APHA 2540 C, 23 <sup>rd</sup> Ed.2017
7	Chlorides (as Cl <sup>-</sup> )	259.0	mg/L	APHA 4500 Cl <sup>-</sup> B, 23 <sup>rd</sup> Ed.2017
8	Sulphates (as SO <sub>4</sub> )	769.0	mg/L	IS 3025 (Part 24):2022

Remark(s)-



  
Authorized Signatory  
Mr. Rahul Patil  
(Director)

Laboratory Recognized by Ministry of Environment, Forest (MoEF) & Climate Change (CC) Govt. of India.

Register Office Address :  
C-7, Omkar Kudale Patil Estate, Manik  
Baugh, Sinhgad Road, Pune - 411051.  
+91 20 2435 6133  
+91 90961 85285 / +91 91585 60571

Branch Office Address :  
1151, E-ward, Saroj Sankul, Flat No. B-204,  
Near Swayamsiddha Trust Building,  
Sykes Extension, Kolhapur - 415116  
+91 98343 07334 / +91 90961 85285

CERTIFICATIONS  
ISO 9001 : 2015  
ISO 14001 : 2015  
ISO 45001 : 2018




## TEST REPORT


Report No:	EHSM/2024/Mar/R-109	Issue Date	18/03/2024
Name and Address of Customer	M/s. Babanraoji Shinde Sugar & Allied Industries Ltd., At Turkpimpri, Post Malwandi, Tal. Barshi, Dist. Solapur -413401		
Sample Name	Waste water	Sample Description	ETP Outlet
Date of Sampling	11/03/2024	Sampling Time	11:10 AM
Sampling Location	ETP Plant	Sampling Procedure	APHA 1060
Sampling done by	EHS Matrix Pvt. Ltd., Pune	Sample Quantity	02L
Start Date of Analysis	13/03/2024	End Date of Analysis	18/03/2024

### Results

Sr. No.	Parameters	Results	Limits	Unit(s)	Methods
1	pH at 25°C	7.19	5.5-9.0	--	APHA 4500 H <sup>+</sup> B, 23 <sup>rd</sup> Ed.2017
2	Total Suspended Solids	82.0	100	mg/L	APHA 2540 D, 23 <sup>rd</sup> Ed.2017
3	Biochemical Oxygen Demand at 27°C for 3 days	70.0	100	mg/L	IS 3025 (Part 44):2019
4	Chemical Oxygen Demand	215.0	250	mg/L	IS 3025 (Part 58):2017
5	Oil & Grease	<5.0	10	mg/L	APHA 5520 B, 23 <sup>rd</sup> Ed.2017
6	Total Dissolved Solids	1789.0	2100	mg/L	APHA 2540 C, 23 <sup>rd</sup> Ed.2017
7	Chlorides (as Cl <sup>-</sup> )	315.0	600	mg/L	APHA 4500 Cl <sup>-</sup> , 23 <sup>rd</sup> Ed.2017
8	Sulphates (as SO <sub>4</sub> )	185.0	1000	mg/L	IS 3025 (Part 24):2022

Remark(s)- All above results are well within Limit.



  
Authorized Signatory  
Mr. Rahul Patil  
(Director)



# EHS MATRIX

PRIVATE LIMITED


Sr. No.30/7, Office No. 202, 203, Chintamani Industrial Estate,  
Near Dran Company, Dhayari, Pune - 411041, Maharashtra, India.  
+91 91585 60571 / +91 95796 84751 / +91 90961 85285  
www.ehsmatrix.co.in ehsmatrixpune@gmail.com


## TEST REPORT

Report No:	EHSM/2024/Mar/R-110	Issue Date	18/03/2024
Name and Address of Customer	M/s. Babanraoji Shinde Sugar & Allied Industries Ltd., At Turkpimpri, Post Malwandi, Tal. Barshi, Dist. Solapur -413401		
Sample Name	Ground Water	Sample Description	Ground Water
Date of Sampling	11/03/2024	Sampling Time	12.30 PM
Sampling Location	Borewell Water	Sampling Procedure	APHA 1060
Sampling done by	EHS Matrix Pvt. Ltd., Pune.	Sample Quantity	02 L
Start Date of Analysis	13/03/2024	End Date of Analysis	18/03/2024

### Results

Sr. No.	Parameters	Results	Unit(s)	Specifications (IS 10500:2012)	Methods
1	pH at 25°C	7.23	--	6.5 to 8.5	APHA 4500 H <sup>+</sup> B, 23 <sup>rd</sup> Ed.2017
2	EC	706	µs/cm	-	APHA 2510 B, 23 <sup>rd</sup> Ed.2017
3	Odour	Agreeable	--	Agreeable	IS 3025 (Part 5):2018
4	Chloride (as Cl <sup>-</sup> )	156.0	mg/L	Max 250	APHA 4500 Cl <sup>-</sup> B, 23 <sup>rd</sup> Ed.2017
5	Total Alkalinity (as CaCO <sub>3</sub> )	178.0	mg/L	Max 200	IS 3026 (Part 23):2019
6	Total Hardness (as CaCO <sub>3</sub> )	154.0	mg/L	Max 200	IS 3026 (Part 21):2019
7	Total Dissolved Solids (TDS)	421.0	mg/L	Max 500	APHA 2640 C, 23 <sup>rd</sup> Ed.2017
8	Sulphate (as SO <sub>4</sub> )	89.0	mg/L	Max 200	IS 3026 (Part 24):2022
9	Calcium (as Ca)	62.0	mg/L	Max 75	IS 3026 (Part 40):2019
10	Magnesium (as Mg)	24.0	mg/L	Max 30	IS 3026 (Part 46):2019
11	Nitrate (as NO <sub>3</sub> )	18.0	mg/L	Max 45	APHA 4500 NO <sub>3</sub> <sup>-</sup> -B, 23 <sup>rd</sup> Ed.2017
12	Iron (as Fe)	<0.1	mg/L	Max 0.3	APHA 3111 B, 23 <sup>rd</sup> Ed.2017
13	Total Coliform	Absent	CFU/100ml	Absent	IS 1622:2019
14	E.coli.	Absent	CFU/100ml	Absent	IS 1622:2019



  
Authorized Signatory  
Mr. Rahul Patil  
(Director)

Page 01 of 01

Laboratory Recognized by Ministry of Environment, Forest (MoEF) & Climate Change (CC) Govt. of India.

Register Office Address :  
C-7, Omkar Kudale Patil Estate, Manik  
Baugh, Sinhgad Road, Pune - 411051.  
+91 20 2435 6133  
+91 90961 85285 / +91 91585 60571

Branch Office Address :  
1151, E-ward, Saroj Sankul, Flat No. B-204,  
Near Swayamsiddha Trust Building,  
Sykes Extension, Kolhapur - 415116  
+91 98343 07334 / +91 90961 85285

CERTIFICATIONS  
ISO 9001 : 2015  
ISO 14001 : 2015  
ISO 45001 : 2018